Tarene™ 14

1: Identification

Product identifier: Tarene™ 14

Other means of identification: Synthetic pine tar on silicon dioxide

Supplier:

j

NATROCHEM, Inc. P.O. Box 1205 Savannah, GA 31402-1205 912-236-4464

Recommended use: Rubber plasticizer, tackifier

Restrictions on use: Not applicable.

Emergency phone number: CHEMTREC (USA) 800-424-9300 CHEMTREC (Int'l) 202-483-7616

2: Hazard(s) identification

GHS classification: Skin corrosion/irritation – Category 2

Germ cell mutagenicity – Category 2

Carcinogenicity - Category 2

Specific target organ toxicity (Single exposure) – Category 3

(respiratory irritation, narcosis)
Aspiration hazard – Category 1

Hazardous to the aquatic environment, Acute hazard – Category 3

GHS label elements

Signal word: DANGER Symbol(s):





Hazard statements: Causes skin irritation

May cause respiratory irritation
May cause drowsiness or dizziness
Suspected of causing genetic defects

Suspected of causing cancer Harmful to aquatic life

May be fatal if swallowed and enters airways

Hazards not otherwise

classified:

Precautionary statements:

Prevention: Obtain special instructions before use.

Do not handle until all safety precautions have been read and

understood.

Avoid breathing fume/vapours.

Do not get in eyes, on skin, or on clothing.

Wash hands and forearms thoroughly after handling. Do not eat, drink or smoke when using this product.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face

protection.

Response: IF ON SKIN (or hair): Wash with plenty of soap and water.

Remove/take off immediately all contaminated clothing and wash it

before reuse. If skin irritation occurs: Get medical attention.

IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT

induce vomiting.

IF INHALED: Remove person to fresh air and keep comfortable for

breathing. Call a POISON CENTER/doctor if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses if present and easy to do – continue rinsing. IF exposed or concerned: Get medical advice/attention. In case of fire: Use water spray (fog), or foam to extinguish.

Storage: Store in a dry place. Store in a closed container.

Disposal: Dispose of contents/container in accordance with applicable

regulations.

Supplemental information: Not applicable.

3: Composition

Substance/mixture: Mixture

Ingredient	Synonyms	CAS number	Concentration (%)
Tall oil pitch		8016-81-7	60-85
Tall oil		8002-26-4	5-25
Fuels, diesel, no. 2		68476-34-6	5-15
Naphthalene		91-20-3	< 0.1

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

4: First-aid measures

If ingestion, irritation, any type of overexposure or symptoms of overexposure occur during or persists after use of this product, contact a POISON CONTROL CENTER, EMERGENCY ROOM, OR PHYSICIAN immediately; have SDS information available. Never give anything by mouth to an unconscious or convulsing person.

Description of necessary first aid measures

Eye contact: Check for and remove any contact lenses. Immediately flush eyes

with running water for at least 15 minutes, keeping eyelids open.

Seek immediate medical attention.

Inhalation: Remove to fresh air. Keep person warm and at rest. If not breathing,

if breathing is irregular, or if respiratory arrest occurs, provide

artificial respiration or oxygen by trained personnel.

Skin contact: Remove contaminated clothing and shoes. Wash skin thoroughly

with soap and water or use recognized skin cleanser. Do NOT use

solvents or thinners.

Ingestion: If swallowed, seek medical advice immediately and show this

container or label. Keep person warm and at rest. Do not give liquids. Do NOT induce vomiting. If spontaneous vomiting occurs,

lean victim forward to reduce the risk of aspiration.

Most important symptoms/effects, acute and delayed.

Potential acute health effects

Eye contact:No specific data.Inhalation:No specific data.Skin contact:No specific data.Ingestion:No specific data.

Over-exposure signs/symptoms

Eye contact:No specific data.Inhalation:No specific data.Skin contact:No specific data.Ingestion:No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician: Treat symptomatically. Contact poison treatment specialist

immediately if large quantities have been ingested or inhaled.

Specific treatments: No specific treatment.

Protection of first-aiders: No action shall be taken involving any personal risk or without

suitable training.

See toxicological information (Section 11)

5: Fire-fighting measures

Extinguishing media

Suitable extinguishing media: Use water spray (fog) or foam.

Unsuitable extinguishing D

Do not use a solid water stream as it may scatter and spread fire.

media:

Specific hazards arising from

If in a fire or heated, a pressure increase will occur and the container

the chemical:

may burst.

Hazardous thermal In the event of a fire, hazardous decomposition products may

decomposition products: include:

Carbon monoxide Carbon dioxide

Other unidentified organic compounds

Special protective actions for

firefighters:

proper training.

Special protective equipment

for firefighters:

Firefighters and others who may be exposed to products of combustion should wear full firefighting turn out gear (full bunker gear) and self-contained breathing apparatus (SCRA) operated in

No action shall be taken involving any personal risk or without

gear) and self-contained breathing apparatus (SCBA) operated in pressure-demand mode (MSHA/NIOSH approved or equivalent).

6: Accidental release measures

Personal precautions, protective equipment, and emergency procedures

For non-emergencyKeep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. No action shall be taken

involving any personal risk or without suitable training.

For emergency responders: If specialized clothing is required to deal with the spillage, take note

of any information in **Section 8** on suitable and unsuitable materials. See also the information immediately above in "For non-emergency

personnel".

Environmental precautions: Avoid release to sewers, waterways, soil, or air. Inform the relevant

authorities if the product has caused environmental pollution

(sewers, waterways, soil, or air).

Methods and materials for containment and cleaning up

Small spill: Stop leak if without risk. Move containers from spill area. Absorb

with inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill: Stop leak if without risk. Move containers from spill area. Contain

and collect spillage with non-combustible absorbent material (sand, earth, vermiculite, diatomaceous earth) and place in container for disposal according to applicable regulations via a licensed waste

disposal contractor.

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

7: Handling and storage

Precautions for safe handling

Put on appropriate personal protective equipment (see Section 8).

Advice on general Eating, drinking, and smoking should be prohibited in areas where occupational hygiene: this material is handled, stored, and processed. Workers should wash hands and face before eating, drinking, and smoking. Remove

contaminated clothing and protective equipment before entering eating areas. When transferring material into flammable solvents, use proper grounding to avoid electrical sparks. Avoid alteration of product properties before use. See also **Section 8** for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities:

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool, and well-ventilated area away from incompatible materials (see **Section 10**) and food and drink. Keep container tightly closed and sealed until ready for use. Do not store in unlabeled containers.

8: Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient	OSHA PEL	ACGIH TLV	NIOSH REL
Fuels, diesel, no. 2	Not available.	100 mg/m ³ TWA	Not available.
Naphthalene	50 mg/m³ TWA 10 ppm TWA	10 ppm TWA 15 ppm STEL	50 mg/m ³ TWA 75 mg/m ³ STEL 10 ppm TWA 15 ppm STEL

Recommended monitoring procedures:

If this product contains ingredients with exposure limits, personal, workplace atmosphere, or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required. Good general ventilation should be sufficient to control worker

Appropriate engineering controls:

Environmental exposure controls:

Emissions from ventilation or work process equipment should be checked to ensure that they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters, or engineering modifications to process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures: Wash hands, forearms, and face thoroughly after handling chemical

exposure to airborne contaminants.

products, before eating, smoking, and using the lavatory, and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety

showers are close to the workstation location.

Eye/face protection: Safety eyewear complying with an approved standard should be

used when a risk assessment indicates this is necessary to avoid

exposure to liquid splashes, mists, gases, or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: splash goggles.

Skin protection

Hand protection: Chemical-resistant, impervious gloves complying with an approved

standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. When handling hot material, wear heat-resistant gloves that are able to

withstand the temperature of molten product.

Body protection: Personal protective equipment for the body should be selected

based on the task being performed and the risks involved and should

be approved by a specialist before handling this product.

Other skin protection: Appropriate footwear and any additional skin protection measures

should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this

product.

Respiratory protection: Respirator selection must be based on known or anticipated

exposure levels, the hazards of the product and the safe working

limits of the selected respirator. If workers are exposed to

concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment

indicates this is necessary.

9: Physical and chemical properties

Appearance

Physical state:
Color:
Brown (dark).
Odor:
Bland. Smoke.
Odor threshold:
Not available.
PH:
Not available.
Melting/freezing point:
Not available.

Boiling point and range: 150°C

Flash point: 142°C (Cleveland open cup)

Evaporation rate:Not available.Flammability:Not available.Flammability or explosiveNot available.

limits:

Vapor pressure: Not available. Vapor density: Not available.

Relative density: 0.955

Solubility: Not available. Partition coefficient: n- Not available.

octanol/water:

Auto-ignition temperature:Not available.Decomposition temperature:Not available.Viscosity:150 SFS @ 122°F

10: Stability and reactivity

Reactivity: No specific test data related to reactivity available for this product or

its ingredients.

Chemical stability: This product is stable.

Possibility of hazardousUnder normal conditions of storage and use, hazardous reactions

reactions: will not occur.

Conditions to avoid: None known.

Refer to protective measures listed in Sections 7 and 8.

Incompatible materials: Reactive or incompatible with the following materials:

Strong oxidizing materials

Hazardous decomposition In the event of a fire, hazardous decomposition products may

products: include:

Carbon monoxide
Carbon dioxide

Other unidentified organic compounds

11: Toxicological information

Information on toxicological effects

Acute toxicity

Conclusion/summary: No known significant effects or critical hazards.

Ingredient	Result	Species	Dose	Exposure
Tall oil pitch	LD ₅₀ oral	Rat	> 2,000 mg/kg	-
	LD ₅₀ dermal	Rat	> 2,000 mg/kg	-
Tall oil	LD ₅₀ oral	Rat	> 2,000 mg/kg	-
	LD ₅₀ dermal	Rat	> 2,000 mg/kg	-
Naphthalene	LD ₅₀ oral	Rat	490 mg/kg	-
	LD ₅₀ dermal	Rat	> 2,500 mg/kg	-
	LD ₅₀ dermal	Rabbit	> 20 g/kg	-
	LC ₅₀ inhalation	Rat	> 340 mg/kg	1 hour

Irritation/corrosion

Conclusion/summary

Ingredient	Result	Species	Score	Exposure	Observation
Tall oil	Skin – edema	Rabbit	0	-	-
	Skin – eschar	Rabbit	0	-	-
	Eyes – cornea opacity	Rabbit	0	-	-

Skin:No known significant effects or critical hazards.Eyes:No known significant effects or critical hazards.Respiratory:No known significant effects or critical hazards.

Sensitization

Conclusion/summary:

Ingredient	Route of exposure	Species	Result
Tall oil pitch	Skin	Guinea pig	Not sensitizing
Tall oil	Skin	Guinea pig	Not sensitizing

Skin: No known significant effects or critical hazards. **Respiratory:** No known significant effects or critical hazards.

Mutagenicity:

Conclusion/summary: Components of this material have been positive in a mutagenicity study.

Ingredient	Test	Experiment	Result
Tall oil pitch	OECD 471 Bacterial	In vitro (bacteria)	Negative
	reverse mutation		
	test		
	OECD 476 In vitro	In vitro (mammalian-	Negative
	mammalian cell	animal)	
	gene mutation test		
	OECD 473 In vitro	In vitro (mammalian-	Negative
	mammalian	human)	
	chromosomal		
	aberration test		
Tall oil	OECD 471 Bacterial	In vitro (bacteria)	Negative
	reverse mutation		
	test		
	OECD 476 In vitro	In vitro (mammalian-	Negative
	mammalian cell	animal)	
	gene mutation test		
	OECD 473 In vitro	In vitro (mammalian-	Negative
	mammalian	human)	
	chromosomal		
	aberration test		

Carcinogenicity

Conclusion/summary: No known significant effects or critical hazards.

Classification

Ī	Ingredient	OSHA	IARC	NTP
	Naphthalene	1	2B	Reasonably anticipated to be a human carcinogen.

Carcinogen classification code:

IARC: 1, 2A, 2B, 3, 4

NTP: [Known/Reasonably anticipated] to be a human carcinogen

OSHA: +

Not listed/regulated: -

Reproductive toxicity

Conclusion/summary: No known significant effects or critical hazards.

Teratogenicity

Conclusion/summary: No known significant effects or critical hazards.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Target organs No known significant effects or critical hazards.

Aspiration hazard

Aspiration may result in chemical pneumonia, severe lung damage, respiratory failure, and even death.

Information on the likely routes Routes of entry anticipated: oral, dermal, inhalation.

of exposure:

Potential acute health effects

Eye contact:No known significant effects or critical hazards.Inhalation:No known significant effects or critical hazards.Skin contact:No known significant effects or critical hazards.Ingestion:No known significant effects or critical hazards.

Symptoms related to the physical, chemical, and toxicological characteristics

Eye contact:No known significant effects or critical hazards.Inhalation:No known significant effects or critical hazards.Skin contact:No known significant effects or critical hazards.Ingestion:No known significant effects or critical hazards.

Delayed and immediate effects and also chronic effects from short- and longterm exposure

Short-term exposure

Potential immediate No known significant effects or critical hazards.

effects

Potential delayed effects No known significant effects or critical hazards.

Long-term exposure

Potential immediate No known significant effects or critical hazards.

effects

Potential delayed effects No known significant effects or critical hazards.

Potential chronic health effects

Ingredient	Result	Species	Dose	Exposure
Tall oil pitch	Chronic NOAEL oral	Rat	> 200 mg/kg	-
	Chronic NOAEL dermal	Rat	> 50 mg/kg	-
Tall oil	Chronic NOAEL oral	Rat	> 200 mg/kg	-
	Chronic NOAEL dermal	Rat	> 50 mg/kg	-

General:No known significant effects or critical hazards.Carcinogenicity:No known significant effects or critical hazards.Mutagenicity:No known significant effects or critical hazards.Teratogenicity:No known significant effects or critical hazards.Developmental effects:No known significant effects or critical hazards.Fertility effects:No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

12: Ecological information

Toxicity

Ingredient	Result	Species	Exposure
Tall oil pitch	NOEC 500 mg/L	Algae	72 hr
Fuels, diesel, no. 2	LC50 35 mg/L	Fish – pimephales promelas	96 hr flow-thru
Naphthalene	LC50 5.74-6.44 mg/L	Fish – pimephales promelas	96 hr flow-thru
	LC50 1.6 mg/L	Fish – oncorhynchus mykiss	96 hr flow-thru
	LC50 0.91-2.82 mg/L	Fish – oncorhynchus mykiss	96 hr static
	LC50 1.99 mg/L	Fish – pimephales promelas	96 hr static
	LC50 31.0265 mg/L	Fish – lepomis macrochirus	96 hr static
	EC50 0.4 mg/L	Algae – skeletonoma costatum	72 hr
	LC50 2.16 mg/L	Daphnia – <i>daphnia magna</i>	48 hr
	EC50 1.96 mg/L	Daphnia – daphnia magna	48 hr flow-thru
	EC50 1.09-3.4 mg/L	Daphnia – daphnia magna	48 hr static

Persistence and degradability

Ingredient	Test	Result	Dose	Inoculum
Tall oil pitch	OECD 301D Ready	36% - 28 days	-	-
	biodegradability – closed			
	bottle test			
Tall oil	OECD 301F Ready	73.2% - 28 days	-	-
	biodegradability –			
	manometric respirometry			
	test			

Ingredient	Aquatic half-life	Photolysis	Biodegradability
Tall oil pitch	-	-	Not readily
Tall oil	-	-	Readily

Bioaccumulative potential

Ingredient	LogP _{ow}	BCF	Potential
Tall oil pitch	2.8-4.4	-	low
Tall oil	4.9-7.7	-	high

Mobility in soil

Soil/water partition Not available.

coefficient (Koc):

Other adverse effects: No known significant effects or critical hazards.

13: Disposal considerations

Disposal methods: The generation of waste should be avoided or minimized wherever

possible. Disposal of this product, solutions, and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local

authority requirements.

Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Refer to Sections 6, 7, and 8 for additional information on accidental release measures, handling and storage, and exposure controls.

14: Transport information

	DOT	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.
Additional information	-	-	-

Special precautions for user: Transport within user's premises: always transport in closed

containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an

accident or spillage.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC code:

Not available.

15: Regulatory information

Inventory status

United States inventory (TSCA All components are listed or exempted.

8b):

Australia inventory (AICS): All components are listed or exempted. Canada inventory (DSL): All components are listed or exempted. China inventory (IECSC): All components are listed or exempted. **Europe inventory (REACH):** All components are listed or exempted. Japan inventory (ENCS): All components are listed or exempted. **Korea inventory (KECI):** All components are listed or exempted. **New Zealand inventory (NZIoC):** All components are listed or exempted. Philippines inventory (PICCS): All components are listed or exempted.

United States

US Federal regulations:

SARA Title III

Section 302 – Extremely Hazardous Chemicals:

The components in this product are either not SARA Section 302 regulated or are regulated but present in negligible concentrations.

Section 311/312 – Hazard Categories:

Acute health Chronic health

Fire

Section 313 - Toxic Chemicals:

This material does not contain any chemical components with known CAS numbers that exceed the threshold (de minimis) reporting levels established by SARA Title III, Section 313.

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) – Reportable Quantity (RQ)

Naphthalene: 100 lb (45.4 kg) final RQ

US State regulations:

Ingredient	NJ RTK	MA RTK	PN RTK	CA Prop. 65
Tall oil pitch	Not listed	Not listed	Not listed	Not listed
Tall oil	Not listed	Not listed	Not listed	Not listed
Fuels, diesel, no. 2	Listed	Not listed	Not listed	Not listed
Naphthalene	Listed	Listed	Listed	Listed

16: Other information

Key to abbreviations:

ATE Acute toxicity estimate
BCF Bioconcentration factor

GHS Globally Harmonized System of classification and labeling of chemicals

IATA International Air Transport Association

IBC Intermediate bulk container

IMDG International Maritime Dangerous Goods

LogPow Logarithm of the octanol/water partition coefficient

MARPOL 73/78 International convention for the Prevention of Pollution from Ships, 1973,

as modified by the Protocol of 1978. (MARPOL = marine pollution)

UN United Nations

Disclaimer:

The information and recommendations contained herein are based upon data that are believed to be accurate and reliable. However, since data, safety standards, and government regulations are subject to change and the conditions of handling and use, or misuse are beyond our control, Natrochem, Inc.

makes no warranty express or implied, with respect to the completeness or continuing accuracy of the information contained herein and disclaims all liability for reliance thereon.

Application and performance information are provided only as a guide, since the conditions of use are beyond the control of Natrochem, Inc. Consequently, Natrochem makes no warranties, express or implied, with respect to the goods or use of the goods or the performance of the goods and makes no warranties of fitness for a particular purpose for merchantability. Buyer acknowledges that Natrochem will not be liable for consequential, incidental, direct or special damages arising directly or indirectly in respect to such goods or the use or failure thereof, whether based on breach of warranty, negligence, strict liability in tort or otherwise.